## **LED aluminium profile E8**

Ordering scheme

| Colour                                                          | L OPTICS                               |  |  |  |  |  |
|-----------------------------------------------------------------|----------------------------------------|--|--|--|--|--|
| E8                                                              |                                        |  |  |  |  |  |
| CO -ANODIZED SILVER                                             | 1M D8PC-OPAL -PC LED DIFFUSER          |  |  |  |  |  |
| C35 -ANODIZED BLACK                                             | 2M D8PC-BLACK -PC LED DIFFUSER         |  |  |  |  |  |
|                                                                 | D8PC-CLEAR -PC LED COVER               |  |  |  |  |  |
| Length: <b>1M</b> =1005mm +5mm toler                            | rance; <b>2M</b> =2015mm+5mm tolerance |  |  |  |  |  |
| Example: "E8-C0-2m-D8PC-OPAL"                                   |                                        |  |  |  |  |  |
| Mounting                                                        | Colour                                 |  |  |  |  |  |
|                                                                 |                                        |  |  |  |  |  |
| B8AL – ALUMINIUM STANDARD BRAC                                  | KET <b>CO</b> - ANODIZED SILVER        |  |  |  |  |  |
| B8ALSL200 – SINGLE LONG ALU. BRACKET 200MM C35 - ANODIZED BLACK |                                        |  |  |  |  |  |
| B8ALSL400 – SINGLE LONG ALU. BRACKET 400MM SILVER (FOR B8PP)    |                                        |  |  |  |  |  |
| B8PP – BRACKET PP FIBRE GLASS RREINFORCED BLACK (FOR B8PP)      |                                        |  |  |  |  |  |
| MS021201T - Double sided adhes                                  | SIVE STRIP 100MM, 0.2MM THICK.         |  |  |  |  |  |
| MS061201G - DOUBLE SIDED ADHES                                  | SIVE STRIP 100MM, 0.6MM THICK.         |  |  |  |  |  |
| Example: "B8AL-C0", "B8PP-SILVE                                 | R"                                     |  |  |  |  |  |
| END CAP                                                         | Colour                                 |  |  |  |  |  |
|                                                                 |                                        |  |  |  |  |  |
| C8 – FLAT, NO CABLE HOLE                                        | SILVER                                 |  |  |  |  |  |
| C8H – FLAT, CABLE HOLE BLACK                                    |                                        |  |  |  |  |  |
| C8F – WITH MOUNTING HANDLE, NO                                  | CABLE HOLE                             |  |  |  |  |  |
| <b>C8FH</b> – WITH MOUNTING HANDLE, CA                          | BLE HOLE                               |  |  |  |  |  |
| C8C_C8F* — END COVER WITH C8F                                   |                                        |  |  |  |  |  |
| C8C_C8FH* — END COVER WITH C8F                                  | :H                                     |  |  |  |  |  |
| Example: "C8H-SILVER", "C8C-C8F                                 | ·H-SILVER"                             |  |  |  |  |  |
| OTHER                                                           | COLOUR                                 |  |  |  |  |  |
|                                                                 | <b></b>                                |  |  |  |  |  |
| <b>B8AL</b> – ALUMINIUM LINEAR CONNECT                          | OR <b>CO</b> - ANODIZED SILVER         |  |  |  |  |  |
| ESCC — CONNECTED CORNER 90DEG C35 - ANODIZED BLACK              |                                        |  |  |  |  |  |
|                                                                 |                                        |  |  |  |  |  |
| Example: "B8AL-C0", "E8CC-C0-[d                                 | iffuser code]"                         |  |  |  |  |  |

Custom length and surface finish available on request.

Screws for the bracket, end cap, connectors are included.

<sup>\*</sup>End cover C8C must be ordered with the end cap C8F or C8FH.

## List of components

| Pos. | Code       | Picture | Description                                                          |
|------|------------|---------|----------------------------------------------------------------------|
| 1    | E8         |         | LED aluminium profile                                                |
| 2    | D8PC-OPAL  |         | PC LED diffuser opal                                                 |
| 3    | D8PC-BLACK |         | PC LED diffuser black                                                |
| 4    | D8PC-CLEAR |         | PC LED cover clear                                                   |
| 5    | B8AL       |         | Aluminium bracket/<br>Linear connector                               |
| 6    | B8ALSL     |         | Single long aluminium bracket                                        |
| 7    | В8РР       |         | PP bracket fibre glass reinforced                                    |
| 8    | C8         |         | End cap no cable hole.<br>PP fibre glass reinforced                  |
| 9    | C8H        |         | End cap with hole, cable up to 2x075mm2<br>PP fibre glass reinforced |

| Pos. | Code      | Picture | Description                                                                              |
|------|-----------|---------|------------------------------------------------------------------------------------------|
| 10   | C8F       |         | End cap mounting handle no cable hole.<br>PP fibre glass reinforced                      |
| 11   | C8FH      |         | End cap mounting handle.<br>With hole, cable up to 2x075mm2<br>PP fibre glass reinforced |
| 12   | C8C       |         | End cover                                                                                |
| 13   | E8CC      |         | Corner 90deg                                                                             |
| 14   | MS021201T |         | Adhesive strip 100x12mm, 0.2mm thick.                                                    |
| 15   | MS061201G |         | Adhesive strip 100x12mm, 0.6mm thick.                                                    |